NOTES:


- SUBSTRATE: FUSED SILICA
- 2. S2 TO BE PARALLEL TO S1 TO WITHIN <3ARCMIN
- 3. COATING (APPLY ACROSS COATING APERTURE) S1: UV ÈN AL R(AVG) >89% from 250-450nm R(AVG) >85% from 250-700nm


S2: NONE



4. FINE GROUND SURFACE

- 5. CLEAR APERTURE AND COATING APERTURE ARE CENTERED ON SURFACE
- 6. SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 7. ROHS: COMPLIANT





PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	S2		ĺ		<u> </u>		
SHAPE	PLANO	PLANO				Edmur	d Ontic	C®
SURFACE QUALITY	20-10	COMMERCIAL POLISH				Lamui	ia Optic	7 5°
SURFACE FLATNESS	0.10 WAVE	N/A		1		MIRROR FS 1/10 WA	VELIVENIAL 38.1	DIA
CLEAR APERTURE	Ø34.29	N/A	THIRD ANGLE PROJECTION		TITLE	WIRKOK TO TYTO WYTE OV ENTRE OO.1 DIK		Dir
COATING APERTURE	Ø37.10	N/A		1				CLIEFT
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	39216		SHEET 1 OF 1