NOTES:

1. SUBSTRATE MATERIAL: N-BK7

2. COATING (APPLY ACROSS CLEAR APERTURE)


S1 & S2: NONE




3. FINE GROUND SURFACE

4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE

5. Rohs Compliant





PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	S1	S2					
SHAPE	CONVEX	PLANO	EFL	75		Edmund Ontice	▶ ®
RADIUS	38.72	∞	BFL	73.72		Edmund Optics)
SURFACE QUALITY	60-40	60-40	THIRD ANGLE PROJECTION		TITLE	10mm H X 20mm L X 75mm FL UNCOATED,	
CLEAR APERTURE	9.00 X 19.00	9.00 X 19.00				CYLINDER LENS	.ں,
COATING APERTURE	9.00 X 19.00	9.00 X 19.00					CLIEFT
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO		SHEET 1 OF 1