NOTES:


1. SUBSTRATE: GERMANIUM


2. RoHS: COMPLIANT

3. SURFACE S2 TO BE PARALLEL TO SURFACE \$1 TO WITHIN < 1 ARCMIN

4. COATING (APPLY ACROSS COATING APERTURE) S1& S2: R(AVG) <3.0% FROM 3.0 - 5.0μm

5. FINE GRIND SURFACE





FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2				Edmund Optic	C®
SHAPE	PLANO	PLANO					<i>7</i> 3
SURFACE QUALITY	60-40	60-40		1		MINIDOM CEDATANIHAA 25 4 v 2 0mm 2 5	Funa
SURFACE ACCURACY @ 10.6µm	λ/20	λ/20	THIRD ANGLE PROJECTION		TITLE	WINDOW GERMANIUM 25.4 x 3.0mm 3-5µm CTD	
CLEAR APERTURE	Ø22.89	Ø22.89		 		CID	CUEET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	11865	SHEET 1 OF 1