NOTES:

1. SUBSTRATE:


HOYA GLASS: ND-70


FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING


2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN <0.02 mm



- 4. COATING SPECIFICATION: S1 & S2:R(AVG) ≤0.4% @ 425 - 675nm
- 5. OPTICAL DENSITY: 0.1 +/- 0.03 @400-700nm
- 6. TRANSMISSION (%): 79.0% AVERAGE FROM 400-700nm
- 7. ROHS COMPLIANT







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

B	Edmund	Optics®

	S1	S2	THIRD ANGLE PROJECTION		0.1 OD, 25mm DIA., VIS 0° COATED,		
SHAPE	PLANO	PLANO		\bigcirc	- TITLE	ABSORPTIVE ND FILTER	
SURFACE QUALITY	80-50	80-50		I		7.555.11.11.2.12	OUEET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	13095	SHEET 1 OF 1