## NOTES:

1. SUBSTRATE:

CRYSTAL QUARTZ

2. COATING (APPLY ACROSS CLEAR APERTURE)

\$1 & \$2: R(abs)<0.2% @1030nm


DAMAGE THRESHOLD: >10 J/cm<sup>2</sup> @10ns @1064 nm

3. SURFACE S1 TO BE PARALLEL TO SURFACE S2 TO WITHIN <3 ARCSEC

4. RETARDANCE: λ/2±λ/300 @ 20° C

5. TRANSMITTED WAVEFRONT: <λ/10 @ 632.8 nm

6. ROHS COMPLIANT



## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

**Control**® Edmund Optics®

						25.4mm Dia. 1030nm λ/2 Quartz Waveplate	
	\$1	\$2	THIRD ANGLE PROJECTION		TITLE	Zero Order	
CLEAR APERTURE	Ø20	Ø20					
SURFACE QUALITY	20-10	20-10	ALL DIMS IN	mm	DWG NO	16889	SHEET 1 OF 1