NOTES:

1. SUBSTRATE:


Zinc Sulfide Multispectral


- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO <1 ARCMIN
- 3. COATING (APPLY ACROSS CLEAR APERTURE)


\$1 & \$2: NONE

4. FINE GRIND SURFACE

5. ROHS COMPLIANT







FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2		
SHAPE	PLANO	PLANO		
SURFACE QUALITY	60-40	60-40		
SURFACE FLATNESS	λ/10 @ 10.6μm	λ/10 @ 10.6μm		
CLEAR APERTURE	Ø 22.86	Ø 22.86		
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED		

THIRD ANGLE PROJECTION	ϕ	TITLE	
ALL DIMS IN	mm	DWG NO	

	E	dn	าน	nd)p	tic	S	R
~-	_				 	_	16. 1	

25.4mm Diameter Uncoated, Zinc Sulfide
Multispectral Window

DIMS IN	mm	DWG NO	19653	SHEE 1 OF
---------	----	--------	-------	-----------