NOTES:

1. SUBSTRATE:

ENGINEERED FUSED SILICA


2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 3 ARCMIN


3. COATING (APPLY ACROSS CLEAR APERTURE)


\$1: RAVG >98% @ 400 - 750nm, 0 - 45 DEG AOI FOR ALL POLARIZATIONS \$2: NONE

4. FINE GRIND SURFACE (ADD INK NOTE AS NEEDED)

 $\sqrt{5.}$ ARROW POINTING TOWARDS THE 1/10 WAVE SURFACE S1







FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2]				5
SHAPE	PLANO	PLANO			TITLE	25mm Dia. Schwarz λ/10 Mirror	
SURFACE QUALITY	20-10	COMMERCIAL POLISH					
CLEAR APERTURE	Ø22.5	Ø22.5					
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	18691	Sheet 1 Of 1