NOTES:

SUBSTRATE

Sapphire (Al2O3) Axis Orientation: Random


2. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: NONE

3. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN ≤3.5 ARCMIN



FINE GRIND SURFACE

Rohs Compliant



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	S2				Edmund Option	C®
SHAPE	PLANO	PLANO					
SURFACE QUALITY	80 - 50	80 - 50		1		10mm Dia., 2mm Thick, Uncoated Sag	nhire
SURFACE FLATNESS	2λ (typical)	2λ (typical)	THIRD ANGLE PROJECTION		TITLE	Window	
CLEAR APERTURE	Ø9.00	Ø9.00		 		, , , , , , , , , , , , , , , , , , ,	CHEET
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	25378	SHEET 1 OF 1