

[All Products](#) / [Optics](#) / [Optical Filters](#) / [Neutral Density \(ND\) Filters](#)

## Continuously Variable Neutral Density Filters



- Continuous Linear Adjustment of Optical Density
- Use in Pairs to Control Beam Transmission
- Ideal for 400 - 700nm

### Common Specifications


#### Physical & Mechanical Properties

<b>Dimensions (mm):</b>	25.4 x 76.2	<b>Length (inches):</b>	3.00
<b>Length (mm):</b>	76.20	<b>Thickness (inches):</b>	0.063 ±0.01
<b>Thickness (mm):</b>	1.60 ±0.25	<b>Width (inches):</b>	1.00
<b>Width (mm):</b>	25.40	<b>Construction:</b>	Plate

#### Optical Properties

<b>Angle of Incidence (°):</b>	0.00	<b>Substrate:</b>	Float Glass
<b>Coating:</b>	Surface 1: Inconel	<b>Blocking Wavelength Range (nm):</b>	400 - 700

## Technical Information



## Products

Dimensions (mm)	Optical Density OD (Average)	Thickness (inches)	Thickness (mm)	Stock Number	Price	Buy
25.4 x 76.2	0.04 - 1.0	0.063	1.60	<a href="#">#64-381</a>	₹7,941 Qty 11+ ₹7,123	10 to 12 days
25.4 x 76.2	0.04 - 2.0	0.063	1.60	<a href="#">#41-960</a>	₹9,186 Qty 11+ ₹8,252	10 to 12 days
25.4 x 76.2	0.04 - 3.0	0.063	1.60	<a href="#">#64-382</a>	₹11,678 Qty 11+ ₹10,510	Contact Us
25.4 x 76.2	0.04 - 4.0	0.063	1.60	<a href="#">#63-048</a>	₹13,312 Qty 11+ ₹11,989	10 to 12 days



Copyright 2023, Edmund Optics India Private Limited, #267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038

Phone: 1-800-363-1992 :

[www.edmundoptics.com](http://www.edmundoptics.com)