


All Products / Lights and Illumination / Machine Vision Lighting / Ring Lights

# Advanced Illumination MicroBrite Diffuse Darkfield Ring **Lights**See More by Advanced Illumination



- Ideal for Visually Enhancing Surface Defects
- High Light Output up to 47,000 Lux
- Multiple Working Distances Between Darkfield and Brightfield
- Required Power Supply and Optional Manual Intensity Adjustment Sold Separately

## **Common Specifications**

#### General

LED Lifetime (hours):	50,000	Type of Illumination:	LED Illuminator							
Manufacturer:	Advanced Illumination	Geometry:	Ring Light							
Illumination Mode:	Constant									
Hardware & Interface Connectivity										
Input Voltage (V):		24V								
Power Supply:		Power Supply R USA: #66-855 Europe: #66-855 Japan: #89-513 Korea: #33-773 China: #66-855	equired and Sold Separately:							
Threading & Mounting										
Mounting Threads:	M	14 x 4								
Environmental & Durability Factors										
Operating Temperature (°C):	0 - 60	Environmental	Rating: IP40							

### **Technical Information**

#### **Products**

Color	Wavelength (nm)	Illumination Mode	Inner Diameter (mm)	Outer Diameter (mm)	Stock Number	Price	Buy
White	-	Constant	18.3	50	<u>#18-557</u>	₹61,200	10 to 12 days
Blue	455.00	Constant	18.3	50	#18-559	₹61,200	10 to 12 days
Green	530.00	Constant	18.3	50	#18-560	₹61,200	10 to 12 days
Red	625.00	Constant	18.3	50	#18-558	₹61,200	10 to 12 days
RGB	-	Constant	18.3	50	<u>#18-561</u>	₹76,500	10 to 12 days
White	-	Constant	74.9	113.3	#18-562	₹84,150	10 to 12 days
Blue	455.00	Constant	74.9	113.3	<u>#18-564</u>	₹84,150	10 to 12 days
Green	530.00	Constant	74.9	113.3	<u>#18-565</u>	₹84,150	10 to 12 days
Red	625.00	Constant	74.9	113.3	<u>#18-563</u>	₹84,150	10 to 12 days
RGB	-	Constant	74.9	113.3	#18-566	₹1,07,100	10 to 12 days



Copyright 2023, Edmund Optics India Private Limited, #267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038

Phone: 1-800-363-1992 : www.edmundoptics.com