

All Products / Optomechanics / Motorized Translation Stages / Motorized Linear Stages

Compact Motorized Linear Stages



- Compact Footprint and Economic Price Point
- Light-weight Housing with Durable Stage Platform
- Compatible with <u>TECHSPEC Stages</u>
- Use Power Supply <u>#21-075</u> to Power Controller <u>#23-931</u>

Common Specifications

General

Note:	Two integrated, adjustable limit switches Controller Required: <u>#23-</u> <u>931</u>	Type of Motor:	Stepper Motor
Physical & Mechanical Properties			
Type of Movement:	Linear (X)	Guide System:	Ball Bearing
Stage Size (mm):	70 x 107	Travel (mm):	15

Accuracy (µm):	5	Backlash (µm):	50
Construction:	Aluminum, 3D Printed Plastic	Height (mm):	33
Load Capacity (kg):	1	Parallelism (µm):	22
Repeatability (µm):	3	Speed (mm/s):	40

Weight (kg):	0.615		Min. Increme Movement (µ		1.25	
Optical Prope	rties					
Resolution (µm):	5					
Electrical					7	
Maximum Operating Current (mA):			600			
Hardware & Ir	Hardware & Interface Connectivity					
Type of Drive:	Lead Screw	Contr	ol Interface:	USB-C		
Computer Interface:	USB-C					
Environmental & Durability Factors						
Operating Temperatu	re (°C):		10-40			

Technical Information

Products

Stage Size (mm)	Туре	Travel (mm)	Stock Number	Price	Buy
70 x 107	Metric	15	<u>#23-923</u>	₹64,350	10 to 12 days
70 x 107	English	15	<u>#23-924</u>	₹64,350	10 to 12 days



Copyright 2023, Edmund Optics India Private Limited, #267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038 Phone: 1-800-363-1992 : www.edmundoptics.com