

## All Products / Optics / Optical Filters / Bandpass Filters

## Hard Coated OD5 Bandpass Filters



- Suitable for Single-Point Fluorescence Detection and Flow Cytometry Applications
- 52 Distinct Design Wavelengths Covering the NUV NIR Spectrum
- >OD5 Average Blocking from 330 900nm
- Mounted for Easy Handling and System Integration

## **Common Specifications**

General

General		1	
Typical Applications:	Scattered light and point detection (Flow Cytometry), not suitable for imaging, immunophenotyping	Note:	Arrow on ring indicates preferred direction of propagation of light.
Physical & Mech	nanical Properties		
Diameter (mm):	25.00 ±0.10	Clear Aperture CA (mm):	>22
Construction:	Mounted in Black Anodized Ring	Substrate Thickness (mm):	2.00 ±0.10
Optical Propertie	25		
Angle of Incidence (°):	0 ±5	Optical Density OD (Average):	>5
Substrate:	Optical Grade Glass	Coating:	Hard Coated
Surface Quality:	80-50	Cone Half Angle (°):	7
Threading & Mo	unting	L	
Mount Thickness (mm):		3.50 ±0.10	

**Technical Information** 

## Products



























	#7	8-461	New
--	----	-------	-----



New

895.00 30.00

₹15,269

10 to 12 days

Launched on our website before appearing in our latest print catalogs. Be the first to buy before anyone else!



Copyright 2023, Edmund Optics India Private Limited, #267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038 Phone: 1-800-363-1992 : www.edmundoptics.com