

**TECHSPEC® 150mm Dia., 1.1mm Thick, Uncoated, Gorilla Glass® Window**



Gorilla® Glass Windows



Stock #29-736 **9 In Stock**

- 1 + ₹5,538

**ADD TO CART**

Volume Pricing	
Qty 1-5	₹5,538 each
Qty 6-25	₹4,438 each
Qty 26-49	₹4,144 each
Need More?	<a href="#">Request Quote</a>

Product Downloads

**SPECIFICATIONS**

**General**

Chemical Strengthening Cycle (hours):

Protective Window

Type:

## Physical & Mechanical Properties

Protective as needed **Bevel:**90.00 **Clear Aperture (%):**135.00 **Clear Aperture CA (mm):**150.00 ±0.25 **Diameter (mm):**1.10 ±0.05 **Thickness (mm):**Ground **Edges:**0.22 **Poisson's Ratio:**70 **Young's Modulus (GPa):**

## Optical Properties

Uncoated **Coating:**1.5 **Index of Refraction (n<sub>d</sub>):**Gorilla® Glass **Substrate:**80-50 **Surface Quality:**350 - 2200 **Wavelength Range (nm):**

## Material Properties

**Coefficient of Thermal Expansion CTE (10<sup>-6</sup>/°C):**

7.58 (0 to +300°C)

2.39 **Density (g/cm<sup>3</sup>):**

## Regulatory Compliance

**Compliant** **RoHS 2015:****View** **Certificate of Conformance:****Compliant** **Reach 247:**


## PRODUCT DETAILS

- Chemically Strengthened Drawn Glass
- Highly Resistance to Surface Scratches
- Ideal for Electronic Displays

Gorilla® Glass Windows are chemically strengthened to reduce the propagation of surface flaws. These thin windows feature superior surface quality and excellent scratch resistance. With greater than 90% transmission from 350 - 600nm, these windows are excellent protective covers for electronic displays in consumer and industrial applications. Gorilla® Glass Windows are widely used as protective cover glass for high-end display devices such as laptops, televisions and mobile phones. Due to their durable construction, they are ideal for even the most demanding applications.

## TECHNICAL INFORMATION

## Gorilla® Glass 3 Typical Transmission



## CUSTOM

Edmund Optics offers comprehensive custom manufacturing services for optical and imaging components tailored to your specific application requirements. Whether in the prototyping phase or preparing for full-scale production, we provide flexible solutions to meet your needs. Our experienced engineers are here to assist—from concept to completion.

Our capabilities include:

- Custom dimensions, materials, coatings, and more
- High-precision surface quality and flatness
- Tight tolerances and complex geometries
- Scalable production—from prototype to volume

Learn more about our [custom manufacturing capabilities](#) or submit an inquiry [here](#).

## QUOTE YOUR SIZE