

[See all 245 Products in Family](#)

TECHSPEC<sup>®</sup> 18mm Dia. x 40mm FL, Uncoated, UV Double-Convex Lens



UV Fused Silica Double-Convex (DCX) Lenses



Stock **#08-084** 20+ In Stock

☐ Other Coating Options

-

1

+

₹9,965

ADD TO CART

| Volume Pricing |                               |
|----------------|-------------------------------|
| Qty 1-5        | ₹9,965 each                   |
| Qty 6-25       | ₹7,941 each                   |
| Qty 26-49      | ₹7,474 each                   |
| Need More?     | <a href="#">Request Quote</a> |

Product Downloads

General

Double-Convex Lens

Type:

Physical & Mechanical Properties

Diameter (mm):

|                           |                      |
|---------------------------|----------------------|
| 18.00 +0.0/-0.025         |                      |
| Centering (arcmin):       | <1                   |
| Bevel:                    | Protective as needed |
| Center Thickness CT (mm): | 4.29 ±0.10           |
| Edge Thickness ET (mm):   | 2.00                 |
| Clear Aperture CA (mm):   | 17.00                |

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| Optical Properties                          |                                             |
| Back Focal Length BFL (mm):                 | 38.50                                       |
| Effective Focal Length EFL (mm):            | 40.00                                       |
| Coating:                                    | Uncoated                                    |
| Coating Specification:                      | Uncoated                                    |
| Substrate: <input type="checkbox"/>         | <a href="#">Fused Silica</a> (Corning 7980) |
| Surface Quality:                            | 40-20                                       |
| Power (P-V) @ 632.8nm:                      | 1.5λ                                        |
| Irregularity (P-V) @ 632.8nm:               | λ/4                                         |
| Radius R <sub>1</sub> =R <sub>2</sub> (mm): | 35.99                                       |
| f#:                                         | 2.22                                        |
| Focal Length Specification Wavelength (nm): | 587.6                                       |
| Focal Length Tolerance (%):                 | ±1                                          |
| Numerical Aperture NA:                      | 0.23                                        |
| Wavelength Range (nm):                      | 200 - 2200                                  |



|                             |                                     |
|-----------------------------|-------------------------------------|
| Regulatory Compliance       |                                     |
| RoHS 2015:                  | <a href="#">Compliant</a>           |
| Reach 219:                  | <a href="#">Compliant</a>           |
| Certificate of Conformance: | <a href="#">View</a>                |
| Country of Origin:          | Japan                               |
| Imported By:                | Edmund Optics India Private Limited |

## Product Details

- Ideal for Imaging Applications
- Minimize Aberrations Including Spherical and Coma
- Precision Fused Silica Substrate





TECHSPEC® UV Fused Silica Double-Convex (DCX) Lenses, also referred to as bi-convex lenses, have two positive, symmetrical faces with equal radii on both sides. These lenses are generally recommended for finite imaging applications with a conjugate ratio (ratio between object distance and image distance) between 0.2 and 5. At a conjugate ratio of 1, aberrations such as spherical aberration, chromatic aberration, coma, and distortion are minimized or canceled due to the symmetric lens design. TECHSPEC® UV Fused Silica Double-Convex (DCX) Lenses have a precision fused silica substrate. These lenses are available uncoated or with UV-AR, UV-VIS, VIS-EXT, VIS-NIR, VIS 0°, NIR I, or NIR II coatings.




## Technical Information



UV FS Transmission Curve

| FUSED SILICA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------|-----|----|-----|----|-----|-----|-----|----|------|----|------|----|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|----|------|----|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>Uncoated Fused Silica<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for Uncoated Fused Silica Transmission</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>92</td></tr><tr><td>400</td><td>94</td></tr><tr><td>600</td><td>94</td></tr><tr><td>800</td><td>94</td></tr><tr><td>1000</td><td>94</td></tr><tr><td>1200</td><td>94</td></tr><tr><td>1400</td><td>92</td></tr><tr><td>1600</td><td>94</td></tr><tr><td>1800</td><td>94</td></tr><tr><td>2000</td><td>94</td></tr><tr><td>2200</td><td>90</td></tr></tbody></table></div></div>                        | Wavelength (nm)    | Transmission T (%) | 200 | 92 | 400 | 94 | 600 | 94  | 800 | 94 | 1000 | 94 | 1200 | 94 | 1400 | 92 | 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94 | 1800 | 94 | 2000 | 94 | 2200 | 90 | <div><p>Typical transmission of a 3mm thick, uncoated fused silica window across the UV - NIR spectra.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                                                                                                                                                                                           |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 92                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 92                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <div><div>Fused Silica with MgF<sub>2</sub> Coating<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for MgF2 Coated Fused Silica Transmission</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>94</td></tr><tr><td>400</td><td>96</td></tr><tr><td>600</td><td>96</td></tr><tr><td>800</td><td>95</td></tr><tr><td>1000</td><td>95</td></tr><tr><td>1200</td><td>95</td></tr><tr><td>1400</td><td>93</td></tr><tr><td>1600</td><td>95</td></tr><tr><td>1800</td><td>95</td></tr><tr><td>2000</td><td>95</td></tr><tr><td>2200</td><td>90</td></tr></tbody></table></div></div> | Wavelength (nm)    | Transmission T (%) | 200 | 94 | 400 | 96 | 600 | 96  | 800 | 95 | 1000 | 95 | 1200 | 95 | 1400 | 93 | 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 95 | 1800 | 95 | 2000 | 95 | 2200 | 90 | <div><p>Typical transmission of a 3mm thick fused silica window with MgF<sub>2</sub> (400-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{avg} \leq 1.75\% @ 400 - 700\text{nm}</math> (N-BK7)</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 94                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 96                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 96                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 93                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 95                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 2200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <div><div>Fused Silica with UV-AR Coating<br/>Typical Transmission</div><div><table border="1"><caption>Approximate data for UV-AR Coated Fused Silica Transmission</caption><thead><tr><th>Wavelength (nm)</th><th>Transmission T (%)</th></tr></thead><tbody><tr><td>200</td><td>70</td></tr><tr><td>250</td><td>99</td></tr><tr><td>400</td><td>100</td></tr><tr><td>600</td><td>90</td></tr><tr><td>800</td><td>78</td></tr><tr><td>1000</td><td>75</td></tr><tr><td>1200</td><td>76</td></tr></tbody></table></div></div>                                                                                                                                              | Wavelength (nm)    | Transmission T (%) | 200 | 70 | 250 | 99 | 400 | 100 | 600 | 90 | 800  | 78 | 1000 | 75 | 1200 | 76 | <div><p>Typical transmission of a 3mm thick fused silica window with UV-AR (250-425nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{abs} \leq 1.0\% @ 250 - 425\text{nm}</math><br/><math>R_{avg} \leq 0.75\% @ 250 - 425\text{nm}</math><br/><math>R_{avg} \leq 0.5\% @ 370 - 420\text{nm}</math></p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Wavelength (nm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Transmission T (%) |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 70                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 250                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 99                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 100                |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 90                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 78                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 75                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 76                 |                    |     |    |     |    |     |     |     |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |    |      |    |      |    |      |    |                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div data-bbox="247 127 1285 765"><h3>Fused Silica with UV-VIS Coating<br/>Typical Transmission</h3></div>      | <div data-bbox="1329 290 1845 593"><p>Typical transmission of a 3mm thick fused silica window with UV-VIS (250-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{abs} \leq 1.0\%</math> @ 350 - 450nm<br/><math>R_{avg} \leq 1.5\%</math> @ 250 - 700nm</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                     |
| <div data-bbox="247 819 1285 1430"><h3>Fused Silica with VIS-EXT Coating<br/>Typical Transmission</h3></div>   | <div data-bbox="1329 994 1845 1249"><p>Typical transmission of a 3mm thick fused silica window with VIS-EXT (350-700nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{avg} \leq 0.5\%</math> @ 350 - 700nm</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                     |
| <div data-bbox="247 1495 1285 2107"><h3>Fused Silica with VIS-NIR Coating<br/>Typical Transmission</h3></div> | <div data-bbox="1329 1632 1845 1955"><p>Typical transmission of a 3mm thick fused silica window with VIS-NIR (400-1000nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{abs} \leq 0.25\%</math> @ 880nm<br/><math>R_{avg} \leq 1.25\%</math> @ 400 - 870nm<br/><math>R_{avg} \leq 1.25\%</math> @ 890 - 1000nm</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |
| <div data-bbox="247 2163 1285 2775"><h3>Fused Silica with VIS 0° Coating<br/>Typical Transmission</h3></div>  | <div data-bbox="1329 2338 1845 2594"><p>Typical transmission of a 3mm thick fused silica window with VIS 0° (425-675nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><p><math>R_{avg} \leq 0.4\%</math> @ 425 - 675nm</p><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                     |
| <div data-bbox="247 2837 1285 2881"><h3>Fused Silica with YAG-BBAR Coating</h3></div>                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><h3>Typical Transmission</h3></div>                                        | <div><p>Typical transmission of a 3mm thick fused silica window with YAG-BBAR (500-1100nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{abs} \leq 0.25\%</math> @ 532nm</div><div><math>R_{abs} \leq 0.25\%</math> @ 1064nm</div><div><math>R_{avg} \leq 1.0\%</math> @ 500 - 1100nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>           |
| <div><h3>Fused Silica with NIR I Coating<br/>Typical Transmission</h3></div>   | <div><p>Typical transmission of a 3mm thick fused silica window with NIR I (600 - 1050nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{avg} \leq 0.5\%</math> @ 600 - 1050nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div>                                                                                                                   |
| <div><h3>Fused Silica with NIR II Coating<br/>Typical Transmission</h3></div> | <div><p>Typical transmission of a 3mm thick fused silica window with NIR II (750 - 1550nm) coating at 0° AOI.</p><p>The blue shaded region indicates the coating design wavelength range, with the following specification:</p><div><div><math>R_{abs} \leq 1.5\%</math> @ 750 - 800nm</div><div><math>R_{abs} \leq 1.0\%</math> @ 800 - 1550nm</div><div><math>R_{avg} \leq 0.7\%</math> @ 750 - 1550nm</div></div><p>Data outside this range is not guaranteed and is for reference only.</p><p><a href="#">Click Here to Download Data</a></p></div> |

## Custom

Edmund Optics offers comprehensive custom manufacturing services for optical and imaging components tailored to your specific application requirements. Whether in the prototyping phase or preparing for full-scale production, we provide flexible solutions to meet your needs. Our experienced engineers are here to assist—from concept to completion.

Our capabilities include:

- Custom dimensions, materials, coatings, and more
- High-precision surface quality and flatness
- Tight tolerances and complex geometries
- Scalable production—from prototype to volume

Learn more about our [custom manufacturing capabilities](#) or submit an inquiry [here](#).

## Compatible Mounts