


[See all 7 Products in Family](#)

3X Mitutoyo Telecentric Objective

See More by [Mitutoyo](#)



3X (#56-985) & 5X (#56-986)



Stock **#56-985** **4 In Stock**

MRP ₹1,55,583

Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1+	₹1,55,583 each
Need More?	Request Quote

Product Downloads

General

375-037-1 **Model Number:**

Microscope Objective **Type:**

Finite Conjugate **Style:**

Manufacturer: Mtutoyo

Note:
Image is formed 280mm from specimen (170mm from the mounting flange)

Physical & Mechanical Properties

Length (mm): 33.00

Length excluding Threads (mm): 33.00

Maximum Diameter (mm): 30

Weight (g): 55

Optical Properties

Horizontal Field of View, 1/2" Sensor: 2.10mm

Horizontal Field of View, 2/3" Sensor: 2.90mm

Focal Length FL (mm): 58.51

Aperture (f/#): NA0.09

Magnification: 3X

Numerical Aperture NA: 0.09

Resolving Power (μm): 3.06

Depth of Field (μm): 34.00

Field of View, 24 Diameter Field Eyepiece (mm): 8

Field of View, 18 Diameter Field Eyepiece (mm): 6

Working Distance (mm): 77

Wavelength Range (nm): 435 - 655

Parfocal Length (mm): 110

Immersion Liquid: N/A

Maximum Image Circle (mm): 11.00

Sensor

Maximum Sensor Format: 2/3"

Threading & Mounting

Mount: M26 x 36 TPI

Mounting Threads: M26 x 36 TPI

Environmental & Durability Factors

Operating Temperature ($^{\circ}\text{C}$): +5 to +40

Operating Humidity: 20 - 80%

Regulatory Compliance

RoHS 2015: [Exempt](#)

Certificate of Conformance: [View](#)

REACH 241: [Contains SVHC\(s\)](#)

Country of Origin: Japan

Imported By: Edmund Optics India Private Limited

Product Details

- Long Working Distances Allow for Integration into Machine Vision Measurement Systems
- Compact Design and Long Parfocal Length Simplifies Mounting
- **Tube** Available for Use with C-Mount Cameras
- Aluminum Alloy Housing

Mitutoyo Telecentric Objectives are ideal for high-resolution, high power machine vision measurement and optical gauging systems. With powers up to 100X, these objectives can be used for semiconductor production and inspection, and in metrology, quality assurance, and R&D laboratories. These objectives are constructed of an aluminum alloy housing. Mitutoyo Telecentric Objectives have a compact design and a long parfocal length that simplifies mounting. They are easily integrated into C-Mount imaging systems with our Mitutoyo C-Mount Camera Tube [#56-992](#).

Edmund Optics is the main source for Mitutoyo Objectives. Place your orders now for these in demand quality products.

Technical Information

Magnification	A	B	C	D	E	Stock No.
1X	49	10	16.5	31.5	31.5	#56-984
3X	33	10	18	25	28	#56-985
5X	49	10	17	25	28	#56-986
10X	59	10	14.5	30	30	#56-987
20X	90	14.5	23	33	39	#87-228
50X	97	14.7	23	33	39	#87-229
100X	104	14.1	23	33	39	#87-230

