

[See all 18 Products in Family](#)

## #55, 20" x 30", 2 Sheets, Adhesive Flock Paper



Light Absorbing Black-Out Material (Adhesive Backing)

Stock #54-585 [CONTACT US](#)

- 1 + MRP ₹3,823

Price inclusive of all taxes

[ADD TO CART](#)

Volume Pricing	
Qty 1+	₹3,823 each
Need More?	<a href="#">Request Quote</a>

### Product Downloads

#### General

2.00 **Number of Sheets:**

**Note:**  
Minimum application temperature for adhesive is +40°F

#### Physical & Mechanical Properties

20 x 30 **Dimensions (inches):**

**Thickness (inches):**

## Environmental & Durability Factors

**Operating Temperature (°F):**  
-65 to +165

## Regulatory Compliance

**RoHS 2015:**  
[Compliant](#)

**Certificate of Conformance:**  
[View](#)

**Reach 251:**  
[Compliant](#)

**Country of Origin:**  
United States

**Imported By:**  
Edmund Optics India Private Limited  
267, Greystone Building, Second Floor,  
6th Cross Rd, Binnamangala,  
Stage 1, Indiranagar, Bengaluru,  
Karnataka, India 560038  
Phone: +91- 80-6845 0000

## Product Details

- For Light Trapping, Baffling, Beam Stopping

Light Absorbing Black-Out Material is a velvet-like, adhesive, or non-adhesive backing that allows black-out material to be applied to any acceptable surface. Flocked material surface characteristics are consistent across product lines, but higher paper numbers indicate thicker, more durable levels of backing for the material. The #40 backing is paper-thin (0.01" thick), the #55 adhesive backing is thicker (0.02" thick) but still very flexible, and the #65 backing has a texture similar to heavy construction paper (0.02" thick). Light Absorbing Black-Out Material that utilizes a non-adhesive backing will have a slightly duller (less reflective) finish than the adhesive-backed flock material. This material is optimal for light trapping, baffling, and beam stopping.

**Note:** This material is meant to absorb light and is not recommended for direct exposure to high-power lasers.