

600nm CWL, 25mm Dia., High Transmission Traditional Coated 40nm Bandpass Filter



High Transmission Traditional Coated Bandpass Filters

Stock **#71-665** **2 In Stock**

MRP ₹18,832

Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1+	₹18,832 each
Need More?	Request Quote

Product Downloads

General

Bandpass Filter **Type:**

Physical & Mechanical Properties

25.00 +0/-0.25 **Diameter (mm):**

21.0 **Clear Aperture CA (mm):**

5.90 **Thickness (mm):**

Construction:

Mounted in Black Anodized Ring

Optical Properties**Center Wavelength CWL (nm):**

600.00

Center Wavelength CWL Tolerance (nm):

+10/-0

Full Width-Half Max FWHM (nm):

40.00

Full Width-Half Max FWHM Tolerance (nm):

±8

Minimum Transmission (%):

80

Coating:

Traditional Coated

Blocking Wavelength Range (nm):1x10⁻⁴ avg Xray to 1000nm**Environmental & Durability Factors****Operating Temperature (°C):**

-50 to +70

Regulatory Compliance**RoHS 2015:****Compliant****Certificate of Conformance:**[View](#)**REACH 241:****Compliant****Country of Origin:**

United States

Imported By:

Edmund Optics India Private Limited
 267, Greystone Building, Second Floor,
 6th Cross Rd, Binnamangala,
 Stage 1, Indiranagar, Bengaluru,
 Karnataka, India 560038
 Phone: +91- 80-6845 0000

Product Details

- Passband Transmission up to 80%
- 441.6 to 1064nm Wavelength Options with 10, 20, and 40nm Bandwidths
- Ideal for Medical and Analytical Applications

High Transmission Traditional Coated Bandpass Filters are designed for situations where far-infrared blocking is not required, allowing for up to 80% transmission in the passband region and good blocking over the visible and NIR wavelength range. Featuring popular laser, mercury, biomedical, and analytical spectral lines, these filters cover a wide range of visible and NIR wavelengths. A hermetic seal and an anodized metal mount help maintain performance in high humidity environments and protect against chipping and scratching. High Transmission Traditional Coated Bandpass Filters are ideal for a range of scientific and medical applications such as spectral radiometry, medical diagnostics, chemical analysis, and Colorimetry. For applications requiring wider blocking ranges, [traditional coated bandpass filters](#) are available whereas applications requiring higher transmission above 90% are best served with [hard coated bandpass filters](#).