

[See all 75 Products in Family](#)

LightPath 353515 | 3mm Dia., 0.40 NA, BBAR (350-700nm), Molded Aspheric Lens

See More by [Lightpath®](#)



Precision Molded Aspheric Lenses

Stock #16-684 **20+ In Stock**

MRP ₹8,980

● Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1-10	₹8,980 each
Qty 11-49	₹8,071 each
Need More?	Request Quote

Product Downloads

General

Compatible Window:
Thickness: 0.25 (t) (mm) Material: BK7

Lightpath Lens Code:
353515

Type:
Aspheric Lens

Typical Applications:
Collimate or Focus Laser Light

Physical & Mechanical Properties

3.00 ±0.015	Diameter (mm):
2.7	Clear Aperture CA (mm):
1.30	Edge Thickness ET (mm):
1.91 ±0.03	Center Thickness CT (mm):
Protective as needed	Bevel:

Optical Properties

3.52 @515nm	Effective Focal Length EFL (mm):
0.40	Numerical Aperture NA:
H-FK61	Substrate: <input type="checkbox"/>
±1	Focal Length Tolerance (%):
515	Aspheric Design Wavelength (nm):
BBAR (350-700nm)	Coating:
$R_{avg} \leq 0.5\% @ 350 - 700nm$	Coating Specification:
40-20	Surface Quality:
1.25	f#:
81.61	Abbe Number (v_d):
1.497	Index of Refraction (n_d):
350 - 700	Wavelength Range (nm):
2.3	Working Distance (mm):
Infinite	Conjugate Distance:
515	Focal Length Specification Wavelength (nm):
<0.040	Transmitted Wavefront Error (λ , RMS):

Material Properties

13.8	Coefficient of Thermal Expansion CTE ($10^{-6}/^{\circ}C$):
------	---

Environmental & Durability Factors

≤200	Operating Temperature ($^{\circ}C$):
------	--

Regulatory Compliance

Compliant	RoHS 2015:
View	Certificate of Conformance:
Compliant	Reach 247:
China	Country of Origin:
Edmund Optics India Private Limited 267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038 Phone: +91- 80-6845 0000	Imported By:

Product Details

- Eliminate Spherical Aberration
- Multiple Coating Options Available
- Range of Numerical Apertures

LightPath® Geltech™ Molded Aspheric Lenses are used to eliminate spherical aberration and improve focusing and collimating accuracy in a variety of laser applications. Low NA aspheric lenses are designed to maintain beam shape, while high NA lenses gather all available light to maintain beam power over long distances. LightPath® Geltech™ Molded Aspheric Lenses are ideal for applications including sighting systems, bar code scanners, laser diode-to-fiber coupling, optical data storage, or biomedical lasers.



Technical Information

