

TECHSPEC® S-Mount, FC Fiber Connector Adapter



Stock #64-096 **16 In Stock**

1 **MRP ₹4,112**

Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1-4	₹4,112 each
Qty 5-9	₹3,874 each
Qty 10-25	₹3,734 each
Need More?	Request Quote

Product Downloads

- STEP:step
- PDF Drawing:pdf
- IGES:igs
- eDrawing:eprt
- EO Spec Sheet
- [Download All](#)

Thread Type: S-Mount	Thickness (mm): 3
Construction: Black Anodized Aluminum Mount, Stainless Steel Fiber Connector	Function: Optic Mount (Fixed)
Type of Optics: Fiber Patchcord	Fiber Connection: FC

Regulatory Compliance

RoHS 2015: Compliant	Reach 224: Compliant
Certificate of Conformance: View	
Country of Origin: China	Imported By: Edmund Optics India Private Limited 267, Greystone Building, Second Floor, 6th Cross Rd, Binnamangala, Stage 1, Indiranagar, Bengaluru, Karnataka, India 560038 Phone: +91-80-6845 0000

Product Details

- C-Mount, S-Mount, SM1, and SM05 Threading
- Low Profile Designs for Minimal System Intrusion
- Available for SMA, FC, or FC/APC Fiber Connectors

Tube System Fiber Connector Adapters provide an easy and simple solution for integrating connectorized fiber into C-Mount, S-Mount, SM1 (1.035" x 40 TPI), or SM05 (0.535" x 40 TPI) systems. C-Mount Fiber Connector Adapters are available for SMA, FC, or FC/APC connectors. S-Mount Fiber Connector Adapters are available for SMA, FC, or FC/APC connectors. SM1

Technical Information

Related Products



Fiber Connector Adapters



Multimode Fiber Optic Patchcords



Fiber Optic Alignment Mounts



Tube System

Frequently Purchased Together



#32-962 - 20.0mm Dia. x 60.0mm FL, Uncoated, Plano-Convex Lens
₹3,305

Qty



#33-945 - 25mm Dia, 0.25 Numerical Aperture, VIS Coated, Aspheric Lens
₹35,211

Qty



#37-322 - Norland Optical Adhesive NOA 61, 1 oz. Application Bottle
₹4,407

Qty



#32-623 - 8mm Max. Aperture, Iris Diaphragm
₹5,397

Qty



Resources

Media Type

Glossary

GLOSSARY

Bezel

GLOSSARY

Normal Load Capacity

GLOSSARY

Roll

GLOSSARY

Yaw

GLOSSARY

C-Mount



;