See all 8 Products in Family

Super High Contrast Linear Polarizing Film, 990 mm x 620mm



Super High Contrast Linear Polarizing Film

Stock **#26-916** **1 In Stock**

- 1 +

MRP ₹99,377

Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1-10	**₹99,377** each
Qty 11-25	**₹89,389** each
Need More?	Request Quote

Product Downloads

General

Type:

Linear Polarizer

Physical & Mechanical Properties

Dimensions (mm):

990 x 620 (nominal)

Thickness (mm):

0.11

Construction:

Polarizing Film

Optical Properties

Extinction Ratio:

15,000:1 nominal

Substrate:

Cellulose Triacetate Film

P-Polarization Transmission (%):

>42

Wavelength Range (nm):

400 - 700

Environmental & Durability Factors

Operating Temperature (°C):

-20 to +70

Regulatory Compliance

RoHS 2015:

Compliant

Certificate of Conformance:

View

Reach 250:

Compliant

Country of Origin:

United States

Imported By:

Edmund Optics India Private Limited
267, Greystone Building, Second Floor,
6th Cross Rd, Binnamangala,
Stage 1, Indiranagar, Bengaluru,
Karnataka, India 560038
Phone: +91- 80-6845 0000

Product Details

- Exceptional Contrast of 15,000:1 in the Visible Spectrum
- Available with or without Adhesive Backing
- Circular and Rectangular Geometries
- For Superior Contrast see **TECHSPEC Ultra-High Contrast Polarizing Film (XP42HE)**

Super High Contrast Polarizing Film features a 15,000:1 contrast ratio from 400 – 700nm with ≥42% transmission within that range. These polarizing films are available in either circular or rectangular geometries in a range of sizes. Super High Contrast Polarizing Film are easily cut to required geometries using common cutting tools for system integration. Additionally, the 1000 x 620mm version is available with an adhesive backing to facilitate incorporation into various applications. These polarizing films are ideal for imaging, metrology, and microscopy applications where contrast sensitivity is important.

;