

TECHSPEC® UV-NIR, 50mm Diameter ND Filter Kit



Stock #88-370 **2 In Stock**

- 1 + MRP ₹1,49,822

Price inclusive of all taxes

ADD TO CART

Volume Pricing	
Qty 1+	₹1,49,822 each
Need More?	Request Quote

Product Downloads

General

0.3, 0.5, 1.0, 1.3, 1.5, 2.0

Filters Included :

Neutral Density Filter

Type:

6.00

Number of Filters:

Optical Properties

Fused Silica (Coming 7980)

Substrate:

Coating:
Metallic Based ND

Blocking Wavelength Range (nm):
190 - 1700

Wavelength Range (µm):
0.19 - 1.7

Regulatory Compliance

Certificate of Conformance:
[View](#)

Country of Origin:
United States

Imported By:
Edmund Optics India Private Limited
267, Greystone Building, Second Floor,
6th Cross Rd, Binnamangala,
Stage 1, Indiranagar, Bengaluru,
Karnataka, India 560038
Phone: +91- 80-6845 0000

Product Details


UV-NIR Neutral Density Filter kit includes all optical densities. Filter coating is fragile and should be handled with care. Use non-contact cleaning methods only.

- Constant Transmission from 190 – 1700nm
- Can be Stacked to Create Intermediate Density Values
- Multiple Optical Densities Available

TECHSPEC® UV-NIR Neutral Density (ND) Filters are used to attenuate light from the ultraviolet to the near-infrared. TECHSPEC® UV-NIR ND Filters feature excellent parallelism with superior surface characteristics to provide constant, ultra-broadband performance from 190 – 1700nm. These ND filters are ideal for a range of applications including spectroscopy, machine vision, or ellipsometry, or for use with low power lasers. TECHSPEC® UV-NIR Neutral Density (ND) Filters can be stacked to obtain a range of optical densities.


Note: UV-NIR Neutral Density Filter kit includes all optical densities. Filter coating is fragile and should be handled with care. Use non-contact cleaning methods only.

Technical Information



Special Handling

These optics require special handling to avoid damage and ensure long-term performance. Proper handling, cleaning, and storage are essential to maintain optical quality. Explore our [Optics Cleaning Resources](#) for step-by-step guides and best practices. For personalized assistance, [Email us](#) or [Chat](#) with our technical support team.



Component Handling Tools